

Math 221 Prelim 2

Name: _____

March 29, 2007

Instructor: _____

Section: _____

INSTRUCTIONS — READ THIS NOW

- This test has 5 problems on 6 pages (counting this one) worth a total of 50 points.
 - Write your name, your instructor's name, and your section number **right now**.
 - Show your work/explanation. To receive full credit, your answers must be neatly written and logically organized. If you need more space, write on the back side of the preceding sheet, but be sure to clearly label your work.
 - Notes, books, "cheat sheets", cell phones, and personal audio players are not allowed. Calculators are neither needed nor permitted.
 - This is a 90 minute test.
-

OFFICIAL
USE ONLY

1. _____

2. _____

3. _____

4. _____

5. _____

Total: _____

CONTINUE TO NEXT PAGE

1. [10pts (2pts each)] Decide whether each of the following statements is TRUE or FALSE. Please write only TRUE or FALSE — you are not required to explain your answer.

(a) The matrix

$$\begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & -2 \\ 2 & -2 & 1 \end{bmatrix}.$$

is orthogonal.

(b) The transformation $T(f(t)) = f(173)$ from P_7 to \mathbb{R} is linear.

(c) If \vec{u} and \vec{v} are vectors in \mathbb{R}^8 , then $\|\vec{u}\|\|\vec{v}\| \geq \vec{u} \cdot \vec{v}$

(d) If V is a linear space (vector space) of dimension 7, then it is isomorphic to \mathbb{R}^7 .

(e) If A , B , and C are 3×3 matrices, such that C is invertible and A is similar to B , then CAC^{-1} is similar to B .

CONTINUE TO NEXT PAGE

2. (a) [**2pts**] Suppose A is an $n \times m$ matrix. The Rank-Nullity Theorem gives what relationship between (some of) n , m , $\dim(\text{im}(A))$, and $\dim(\text{ker}(A))$?

- (b) [**5pts**] Explain why the first two columns of

$$A = \begin{bmatrix} 3 & 1 & 1 & -5 \\ -1 & 0 & -1 & 2 \\ 2 & 4 & -6 & 0 \end{bmatrix}.$$

form a basis for its image. Determine $\dim(\text{ker}(A))$.

- (c) [**3pts**] Find a basis for the orthogonal complement of the image of the matrix A of part (b).

3. Let $L : P_2 \longrightarrow P_2$ be the linear transformation

$$L(f) = \left(\int_0^1 f(t) dt \right) x^2 + \frac{d^2}{dx^2} f(x),$$

where P_2 is the linear space (vector space) of all polynomials $f(x)$ of degree at most 2 with real coefficients.

(a) [**3pts**] Calculate $L(ax^2 + bx + c)$ where a, b, c are real numbers.

(b) [**4pts**] Find a basis for $\ker(L)$. What is the dimension of $\ker(L)$?

(c) [**3pts**] For $\mathcal{B} = (x^2, x, 1)$, give the \mathcal{B} -matrix for L . (That is, the matrix that transforms $[f]_{\mathcal{B}}$ into $[L(f)]_{\mathcal{B}}$, for all $f \in P_2$.)

4. (a) [**4pts**] What does it mean to say that vectors $\vec{v}_1, \vec{v}_2, \dots, \vec{v}_m$ in \mathbb{R}^n are *orthonormal*?
- (b) [**6pts**] Show that if $\vec{v}_1, \vec{v}_2, \dots, \vec{v}_m$ in \mathbb{R}^n are orthonormal, then they are linearly independent.

5. [10pts] Find an orthonormal basis of the subspace V of \mathbb{R}^4 with basis

$$\begin{bmatrix} 1 \\ 1 \\ 1 \\ 0 \end{bmatrix}, \quad \begin{bmatrix} -1 \\ 0 \\ -1 \\ 1 \end{bmatrix}, \quad \begin{bmatrix} -1 \\ 0 \\ 0 \\ -1 \end{bmatrix}.$$

STOP. THIS IS THE LAST PAGE.